




乌鲁木齐丝路友好贸易有限公司  
URUMQI SILK ROAD FRIEND TRADE CO., LTD

地址: 新疆乌鲁木齐市友好南路103号天隆大厦1栋6A1  
ADD: Office 1-6A1, Building TianLong, No.103, South YouHao Road, Urumqi, Xinjiang, China  
FAX: +86-991-4553297      <http://chinatehnika.su>      Email: 118114@mail.ru

## reparation Station      **WLD-PS-A**

**Ex-work price : RMB21440 ( 不含税 )**

**Ex-work price : RMB23155 ( 含税 )**



### Configuration:


- ◆ **Basement:** Galvanized steel sheet and square steel pipe construction. Whole grids with floor filter. 2 pcs of ramps.
- ◆ **Air Circulation System:** 1x5.5kw exhaust fan.
- ◆ **Pollution Control System:** Multi-layer fiberglass filter.

Model	External Size (m)	Internal Size (m)	Air Flow (m <sup>3</sup> /h)	Air Speed (m/s)	Power (kw)	Vehicle Suited
WLD-PS-A	7.55x3.55x3.1	6.3x3.45x2.7	18000	0.3-0.5	5.5	Saloon Car

## Preparation Station **WLD-PS-B**

**Ex-work price : RMB31490 ( 不含税 )**

**Ex-work price : RMB34000 ( 含税 )**



### Configuration:

- ◆ **Booth Body:** Back side with 50mm thickness EPS (epispastics polystyrene) wallboard. The other 3 sides with PVC curtains; Galvanized steel roof panel.
- ◆ **Basement:** Galvanized steel sheet and square steel pipe construction. Whole grids with floor filter. 2 pcs of ramps.
- ◆ **Lighting System:** Ceiling light has 32 pcs of 40w lamps.
- ◆ **Air Circulation System:** 1x4kw intake fan, 1x3kw exhaust fan.
- ◆ **Air Purification:** Dual filtering structure. The primary filter can capture granules larger than 10 $\mu$ m. Ceiling filter capture granules bigger than 5 $\mu$ m. The air cleanliness in the working environment can reaches 98%.
- ◆ **Pollution Control System:** Multi-layer fiberglass filter.
- ◆ **Setting Style:** Suspending by steel hook from roof of building or supporting by steel column.

Model	External Size (m)	Internal Size (m)	Air Flow (m <sup>3</sup> /h)	Air Speed (m/s)	Power (kw)	Vehicle Suited
WLD-PS-B	7.55x3.55x3.1	6.3x3.45x2.7	20000	0.3-0.5	8.3	Saloon Car

## Standard Type Spray Booth **WLD8100**

**Ex-work price : RMB45560 ( 不含税 )**

**Ex-work price : RMB49200 ( 含税 )**



### Configuration:

- ◆ **Wallboard:** Sandwich style EPS (epispastics polystyrene) 50mm thickness. Colorful steel skin boards 0.426mm thickness. Galvanized steel roof panel.
- ◆ **Basement:** Galvanized steel sheet and square steel pipe construction. 2 rows of grids with floor filter & 3 rows of checkered plates. 2 pcs of ramps.
- ◆ **Door:** 3 pcs of front doors with aluminum frame. Size: 3000(w) x 2750(h). 1 pc of emergency door.
- ◆ **Air Circulation System:** 2x4kw intake fan. BELIMO 20N electric damper.
- ◆ **Burner:** Italy Riello G20 diesel burner, 200000Kcal/h. The heating time 5-7min(20-60° C). Max temperature at 80° C. Fuel consumption is 4-5kg/vehicle.
- ◆ **Heat Exchanger:** Made of stainless steel. The heat exchange rate reaches 85%.
- ◆ **Lighting System:** Ceiling light has 24 pcs of 40w lamps. Side light has 16 pcs of 40w lamps. 900 Lux.
- ◆ **Air Purification:** Dual filtering structure. The primary filter can capture granules larger than 10µm. Ceiling filter capture granules bigger than 5µm. The air cleanliness in the working environment can reaches 98%.
- ◆ **Other:** Spare parts holding bar at the rear.

Model	External Size (m)	Internal Size (m)	Air Flow (m <sup>3</sup> /h)	Air Speed (m/s)	Power (kw)	Vehicle Suited
WLD8100	7x5.45x3.48	6.9x3.9x2.8	24000	0.3-0.5	10	Saloon Car

### Scissor Car Lift WLD-XJS3.2A

**Ex-work price : RMB10338 ( 不含税 )**

**Ex-work price : RMB11165 ( 含税 )**



### Features:

- ◆ Advanced design, compact layout, original shape and long lifespan Hydraulic system keeps both platforms at level position;
- ◆ Mechanical protection device throughout the travel distance provides safety and simple operations;
- ◆ Maintenance-free bearing with auto lubrication offers a long lifespan;
- ◆ Surface-mounted or ditch-mounted installation upon request.

### Specification:

Capacity:	3200kg
Lifting height:	330-1930mm
Lifting time:	50s
Power supply:	220V/380V/3kw
Air supply required:	4-7kg/cm <sup>2</sup>

### Quantity Information:

20GP container can fit 21 pcs,  
40HQ container can fit 45 pcs

**Scissor Car Lift WLD-JS3.5A** (special for wheel alignment operation)

**Ex-work price : RMB21830 ( 不含税 )**

**Ex-work price : RMB23575 ( 含税 )**



### Features:

- ◆ Advanced design, compact layout, original shape and long lifespan Hydraulic system keeps both platforms at level position;
- ◆ Mechanical protection device throughout the travel distance provides safety and simple operations;
- ◆ Maintenance-free bearing with auto lubrication offers a long lifespan;
- ◆ Turn plate is mobile and available for kinds of cars;
- ◆ IC controller;

### Specification:

Capacity:	3500kg
Lifting height:	380-1750mm
Secondary lifting height:	500mm
Runway width:	620mm
Lifting time:	50s
Power supply:	220V/380V/3kw
Air supply required:	4-7kg/cm <sup>2</sup>

### Quantity Information:

20GP container can fit 6 pcs,  
40HQ container can fit 12 pcs

## Car washing machine -Economy type FT338

**Ex-work price : RMB44220 ( 不含税 )**

**Ex-work price : RMB477580 ( 含税 )**



Technical data:

Model	FT338
Power supply-v/Hz	380/4/50
Water flow rate L/h	1650
Pressure bar/ Mpa	0-4
Connected load / Kw	8.6
Servo control	economy
High-pressure hose/m	10
Spray lance mm	no
Power nozzle	stainless steel
Circumgyrate nozzle	2

**QEM-INFRARED SW/MW LAMP Model:QEM-2D**

**Ex-work price : RMB1850 ( 不含税 )**

**Ex-work price : RMB2000 ( 含税 )**

Input voltage:220V/240V

Power:1200W X 2

Heating distance:200mm-400mm

Max.heating area:800mm X 700mm

Priming heating time :10-15min

Surface heating time: 15-20min

Timer:0-30min



**Delivery Time:**

Regarding the delivery time, It usually needs 25 working days to produce all the goods.

**Payment Term:**

And the payment terms, we would like to carry T/T payment terms, 30% deposit in advance, 70% before products leaving factory.

**Packaging:**

To transport the booth, we are going to pack the parts with plastic foams and carton.

**Installation:**

Regarding the installation, it is easy to assembly. A detail installation manual will go with the products, if necessary, a installation vedio will send to your attention.

## **Warranty:**

About the warranty, all the products we sell oversea are carrying one year warranty. But the artificial damage and other damages caused by uncontrolled nature force (such as earthquake, typhoon, fire etc) are not include into the warranty. In case of manufacturer's defect, we usually require our customers feedback the problems and offer solution first, if the problem is still there we will send one engineer to the customer's place. For other small parts, such as electrical devices, bearings etc, if it is still in warranty, we will require photos before sending replacing parts.